




ELECTRONZ+
TRADING

INDUSTRIAL ELECTRICAL MATERIALS & AUTOMATION



sales@electronqatar.com ✉
www.electronqatar.com 🌐
Whatsapp Hotline: +974 3994-2201 📞
+974 4430 3857 📞



ELECTRONZ+
TRADING

TABLE OF CONTENTS

POWER SWITCHES	page 4
MCB	page 5
MCB	page 6
RCCB	page 7
RCBO	page 8
ASSEMBLY PANEL	page 9
MCCB	page 10
CONTACTORS	page 11
FUSES	page 12
POWER FACTOR CORRECTION	page 13
CHARGER, POWER SUPPLY & TRANSFORMERS	page 14
CURRENT TRANSFORMERS FLEXIBLE ROGOWSKI COIL	page 15
PANEL METERS	page 16
CONTROL RELAYS	page 17
CONTROL RELAYS	page 18
PUMP & COMPRESSOR CONTROL	page 19
PUMP & COMPRESSOR CONTROL	page 20
RELAYS & SOCKETS	page 21
BUTTON & SWITCHES	page 22
CAM SWITCHES	page 23
TERMINAL BLOCK	page 24
TERMINALS	page 25
FAN & HEATERS	page 26
PANEL LOCKS & HINGES	page 27
PANEL ACCESSORIES	page 28
INSULATORS / TRUNKING / RAILS / GLANDS	page 29
LUGS	page 30
CONSUMABLES	page 31
TOOLS	page 32
AUTOMATION	page 33
AUTOMATION	page 34
FLOW & COOLING & HEATING	page 35
TERMINALS	page 36
CONNECTORS AND SOCKETS	page 37
BEACONS, BUZZERS & OBSTRUCTION LIGHTS	page 38
ENCLOSURES & BOXES	page 39
INDOOR LIGHTING, OUTDOOR LIGHTING & POWER SUPPLY	page 41
HOME AUTOMATION	page 42
FIRE ALARM SYSTEMS	page 43
GENERATOR PARTS	page 44
FANS & VENTILATORS	page 45
UPS, REGULATORS & BATTERY CHARGER	page 46
EXPLOSION-PROOF PRODUCTS	page 47



ELECTRONZ+



sales@electronqatar.com ✉

www.electronqatar.com 🌐


Whatsapp Hotline: 3994-2201 📞

AUTOMATIC TRANSFER CHANGEOVER SWITCH WITH MOTOR

**ATS
CONTROLLER
ATS
2.0**

MATS-63
MATS-100
MATS-160
MATS-200
MATS-250
MATS-400
MATS-630
MATS-1000
MATS-1600
MATS-2500


63A
100A
160A
200A
250A
400A
630A
1000A
1600A
2500A



MANUAL TRANSFER SWITCH (MTS)

MMTS-63
MMTS-100
MMTS-250
MMTS-400
MMTS-630
MMTS-1000
MMTS-1250
MMTS-1600
MMTS-2500


63A
100A
250A
400A
640A
1000A
1250A
1600A
2300A



ISOLATOR SWITCH WITH HANDLE

MIS-63
MIS-100
MIS-160
MIS-250
MIS-400
MIS-630
MIS-1600
MIS-2500

63A
100A
160A
250A
400A
640A
1600A
2300A



POWER SWITCHES



Etechin



sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

ELECTRONZ+

MCB

Basic Features			
Standards			EN/IEC 60898-1
Certificate			Dekra/KEMA
Electrical Features			
Rated current in	A		6, 10, 16, 20, 25, 32, 40, 50, 63
Rated current Ue	V		230/400, 240/415
Rated frequency	Hz		50/60
Number of poles	P		1, 2, 3, 4
Ultimate short-circuit breaking capacity Icu	kA		6/10
Service short-circuit breaking capacity Ics	kA		6kA(Icu 6kA), 7.5kA(Icu 10kA)
Rated Insulation voltage Ui	V		500
Rated Impulse withstand voltage(1.2/50) Uimp	kV		4
Dielectric test voltage at ind. Freq. for 1 min	kV		2
Pollution degree			3
Trip form			Thermal magnetic trip
Thermo-magnetic release characteristic	B type(3-5In)		▪
	C type(5-10In)		▪
	D typer(10-20In)		▪
Thermal release characteristic	1.13In Non trip cold state		≤63A t≤1h
	1.45In trip 1.13 test		≤63A t<1h
Mechanical Features			
Mechanical life	T		10000
Electrical life	T		4000
Reference temperature for setting of thermal element	°C		30, 40, 50
Ambient temperature	°C		-35~+70°C
Installation			
Degree of Protection			IP20
Nominal cross-sectional area of the copper conductor	mm ²		16
Tightening torque	N·m		2.0
Line entry			U/Pin-type Busbar/Cable
Mounting			on Din rail EN60715(35mm)

MCB





Etechin



sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞


ELECTRONZ+

MCB ACCESSORIES

Main Technical Parameters

Name	Model	Rated Voltage Un	Remark
Auxiliary Contact	OF	115/230/400V	/
Trip Alarm Contact	SD	115/230/400V	/
Shunt Release	MX	230V	DC 24V
Shunt Release (Power Supply)	MX+OF	230V	DC 24V
Shunt Release (No Power Supply)	MX+OF No power supply	230V	DC 24V
Overvoltage Release	MV (MSU)	230V	Overvoltage range $U_{vo}=280V \pm 5\%$
Undervoltage Release	MN (MN)	230V	Undervoltage range $U_{oe}=170V \pm 5\%$
Over/Under voltage Release	MV+MN (MNY)	230V	Overvoltage range $U_{vo}=280V \pm 5\%$ Undervoltage range $U_{oe}=170V \pm 5\%$
Three phase four wire overvoltage and undervoltage	MV+MN (MNY)	230V	Overvoltage range $U_{vo}=280V \pm 5\%$ Undervoltage range $U_{oe}=170V \pm 5\%$
Electronic voltage loss release	MNs (MNs)	230V	Undervoltage range $U_{oe}=170V \pm 5\%$ Loss voltage $U_{oe}=0$ trip (operating when no power)
Electromagnetic voltage loss release	MNs (MNs)	230V	Undervoltage range $U_{oe}=35\% \sim 75\% U_n$ Loss voltage $U_{oe}=0$ trip (cannot operate when no power)
Electromagnetic voltage loss release (Photovoltaic dedicated)	MNs (MNs)	230V	Undervoltage range $U_{oe}=35\% \sim 75\% U_n$ Loss voltage $U_{oe}=0$ (with delay) trip (cannot operate when no power)
Electromagnetic Over/under voltage release (Photovoltaic dedicated)	MNVs (MNVs)	230V	Overvoltage range $U_{vo}=280V \pm 5\%$ Undervoltage range $U_{oe}=170V \pm 5\%$ Loss voltage $U_{oe}=0$ (with delay) trip (cannot operate when no power)

MCB





ELECTRONZ+

Etechin



sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

RCBO

RCCB

Basic Features		
Standards		IEC/EN61009-1
Certificate		Emko, CE, CB
Electrical Features		
Protection		Residual current, overcurrent and short circuit
Rated current in	A	6, 10, 16, 20, 25, 32, 40
Rated residual operating current	mA	10, 30, 100, 300
Residual current type		AC,A,AC-S,A-S
Rated voltage Ue	V	230/240
Rated frequency	Hz	50/60
Number of poles	P	1P+N(1 Module)
Ultimate short-circuit breaking capacity Icu	kA	6/10
Service short-circuit breaking capacity Ics	kA	6kA(Icu 6kA), 7.5kA(Icu 10kA)
Rated insulation voltage	V	500
Rated residual current operated making&breaking capacity Δ m	A	500
Rated residual non-operated current Δ n		0.5I Δ n
Residual current off-time at Δ n		≤0.1s,150~500ms(s type)
Rated impulse withstand voltage (1.2/50) Uimp	kV	4
Pollution degree		3
Type of trip Residual current		Electronic
Over current		Thermal-magnetic
Therm-magnetic release characteristic	B type (3In~5In) C type (5In~10In)	▪ ▪
Mechanical Features		
Mechanical life	T	20000
Electrical life	T	4000
Reference temperature for setting of thermal element	°C	30, 40, 50
Ambient temperature	°C	-35~+70°C
Installation		
Degree of Protection		IP20
Width	mm ²	18
Terminal connection		Pillar terminal with frame
Terminal capacity		10mm ² flexible/16mm ² rigid
Tighten torque	N·m	2.0
Installation		on Din rail EN60715(35mm)





Etechin



sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

ELECTRONZ+

RCBO

Basic Features		
Standards		EN/IEC 61008-1,61008-2
Certificate		KEMA, CE, CB
Electrical Features		
Protection		Residual current
Rated current in	A	6, 10, 16, 20, 25, 32, 40, 50, 63, 80, 100
Rated residual operating current	mA	30, 100, 300, 500
Residual current type		AC,A,AC-S,A-S
Rated voltage Ue	2P	230
	4P	240
Rated frequency	Hz	50/60
Number of poles	P	2(1+N),4(3+N) pole
Ultimate short-circuit breaking capacity Icu	kA	6/10
Rated insulation voltage	V	500
Rated residual current operated making&breaking capacity Δ m		500 for In=16,25,32,40,50A
		630A for In=63A
		800A for In=80,1000A for In=100A
Rated residual non-operated current Δ n		0.5I Δ n
Residual current off-time at Δ n		≤0.1s,150~500ms(s type)
Rated impulse withstand voltage (1.2/50) Uimp	kV	6
Pollution degree		3
Type of trip Residual current		Electronic
Over current		Thermal-magnetic
Mechanical Features		
Mechanical life	T	3000
Electrical life	T	2000
Fault current indicator	°C	yes
Ambient temperature	°C	-25~+40°C
Installation		
Degree of Protection		IP20
Terminal connection		Pillar terminal with frame
Terminal capacity		Cables up to 35mm ²
Tighten torque	N·m	3.5
Installation		on Din rail EN60715(35mm) EN50022





Etechin



sales@electronqatar.com



www.electronqatar.com

Whatsapp Hotline: 3994-2201

ELECTRONZ+

ASSEMBLY PANEL

Application • Pan assembly KEMA approved • Galvanized 1.2mm sheet • Main switch: MCB, ISOLATOR, ELCB, MCCB up to 250A • Outgoing: up to 72 poles way MCB • Plastic Lock/Metal Lock • Surface / flush type • Adjusted mounting plate • Powder coating Ral7035 texture • IP42 for Metal Enclosure • IEC61439-1




ASSEMBLY PANEL

OUTLINE AND INSTALLATION DIMENSIONS (mm)

Item NO	Spec	H1	H	W1	W	D1	D	A	B
DT01MCB-4	3Px4W	452	460	380	388	110	115	404	300
DT01MCB-6	3Px6W	506	514	380	388	110	115	458	300
DT01MCB-8	3Px8W	560	568	380	388	110	115	512	300
DT01MCB-10	3Px10W	614	622	380	388	110	115	566	300
DT01MCB-12	3Px12W	668	672	380	388	110	115	620	300
DT01MCB-14	3Px14W	722	730	380	388	110	115	674	300
DT01MCB-16	3Px16	776	784	380	388	110	115	728	300

·The dimension above for surface mounting type. ·Flush mounting type H and W add 20mm.



Isolator



ELECTRONZ+



sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

MCCB


TYPE	ADJUSTABLE
RATED CURRENT	16,20,25,32, 40,50,63,80, 100,125,160, 180,200,225, 250,400,630
POLE	2-POLE 3-POLE 4-POLE

BUILT-IN ACCESSORY



Shunt Trip

The shunt trip is an accessory for remote control. The shunt will trip when the input voltage is 70% -110% of the rated operated voltage




Auxiliary Contact

Auxiliary contact is used to indicate "On" or "Off" status of the breaker.



Alarm Contact


Alarm contact will indicate people due to overload, short circuit or shunt trip.



Shunt Trip



Auxiliary Contact




Alarm Contact



Earth Leakage Relay & Core Balance Current Transformer ELR & CBCT

Code	CBCT	
	I _{Max}	∅
VTOR-45-1	100A	45
VTOR-80-1	400A	80
VTOR-100-1	630A	100
VTOR-150-1	1250A	150
VTOR-210-1	2500A	210
VTOR-310	3500A	310
VAYR-36	5000A	360x100
VAYR-50	5500A	500x100





Type	Main circuit characteristic													
	DKAC-09	DKAC-12	DKAC-18	DKAC-25	DKAC-32	DKAC-40	DKAC-50	DKAC-65	DKAC-80	DKAC-95				
Poles	3P													
Rated insulation voltage (Ui)	V 69													
Rated operating voltage(Ue)	V 380/40													
Rated thermal current(Ith),AC-1		20	20	32	40	50	50	80	80	125	125			
Rated operation current(Ie)	AC-3,380/400V	A	9	12	18	25	32	38	50	65	80	95		
	AC-3,660/690V	A	6.6	8,9	12	18	22	22	39	42	49	49		
	AC-4,380/400V	A	3,5	5	7,7	8,5	12	14	24	28	37	44		
	AC-4,660/690V	A	1,5	2	3,8	4,4	7,5	8,9	12	14	17,3	21,3		
Rated operation power(Ie)	AC-3,380/400V	kW	4	5,5	7,5	11	15	18,5	22	30	37	45		
	AC-3,660/690V	kW	5,5	7,5	10	15	18,5	18,5	33	37	45	45		
	AC-4,380/400V	kW	1,5	2,2	3,3	4	5,4	5,5	11	15	18,5	22		
	AC-4,660/690V	kW	1,1	1,5	3	3,7	5,5	6	10	11	15	18,5		
Mechanical life		1200			1000			900		650				
Electrical life	AC-3	10000 times	110			90			65					
	AC-4		22			17			11					
Frequency of operation	AC-3	times/hour	1200			600								
	AC-4		300			300								
Connecting capability of main circuit terminal														
Flexible wire	1 Wire	mm ²	1...4			1,5...6			2,5...25		4...50			
No terminals	2 Wire	mm ²	1...4			1,5...6			2,5...16		4...25			
Flexible wire	1 Wire	mm ²	1...4			1...6			2,5...25		4...50			
With terminals	2 Wire	mm ²	1...2,5			1...4			2,5...10		4...16			
Hard wire	1 Wire	mm ²	1...4			1,5...6	1,5...10		2,5...25		4...50			
No terminals	2 Wire	mm ²	1...4			1,5...			2,5...10		4...25			
Fastening torque		N.m	1...2			1...8			5		9			
Coil														
Rated control voltage(Us)	50 Hz	V	24,36,48,110,127,220/230,240,380/400,415,440											
	50/60Hz	V	24,36,48,110,127,220/230,240,380/400,415,440											
Allowed control circuit voltage (Us)	Operation	V	Installation inclination angle ±22,5:85%~110% Us; Installation inclination angle ±5:70:96~120%											
	Release	V	Installation inclination angle ±22,5:20%~75% Us; Installation inclination angle ±5:20%~65%											
Power consumption of coil	Actuation	VA	60			70			200		200			
	Keep	VA	6-9,5			6-9,5			15-20		15-20			
	Consumption	W	1-3			1-3			6-10		6-10			
Auxiliary contacts														
Auxiliary contacts specification		A	11											
Rated thermal current(Ith)		A	10											
Rated operating voltage(Ue)	AC	V	380											
	DC	V	220											
Rated control capacit	AC-15	VA	360											
	DC-13	W	33											

MODULAR CONTACTORS

Poles
2, 3 or 4

Current
20, 25, 40 OR 63A




FUSE HOLDER

RBK-00-S

**BUSBAR MOUNTED FUSE HOLDER
SUITABLE FOR NH-00&NH-000
FUSES (160A)**

RBK-00-S

**MOUNTING ON PLATE FUSE
DISCONNECTOR SUITABLE FOR
NH-00&NH-000 FUSES (160A)**




NH FUSE

1 Pole NH00 Fuse Base

3 Pole NH00 Fuse Base

3 Pole NH1 Fuse Base

NH Fuse Links 16A to 1000A



CYLINDRICAL FUSE HOLDER

Parameter	10x38mm	14X51mm	22X58mm
Rated Voltage	690V	690V	690V
Breaking Capacity	50KA	50KA	100KA
Max Power Dissipation	3W	5W	9,5W
Altitude	2000m	2000m	2000m
Flame Resistant	6kV	8kV	8kV



CYLINDRICAL CERMAIC FUSE

Type			
10x38	0,5-32A	10,3±1	38+0,6
14x51	6-50A	14,3±1	51+0.6-1
22z58	16-25A	22,2±1	58+0.1-2



GLASS FUSE 5x20

GFL-0.5	GLASS FUSE 5X20, 0,5A
GFL-01	GLASS FUSE 5X20, 1A
GFL-02	GLASS FUSE 5X20, 2A
GFL-03	GLASS FUSE 5X20, 3A
GFL-04	GLASS FUSE 5X20, 4A
GFL-05	GLASS FUSE 5X20, 5A
GFL-06	GLASS FUSE 5X20, 6A
GFL-07	GLASS FUSE 5X20, 7A
GFL-08	GLASS FUSE 5X20, 8A
GFL-10	GLASS FUSE 5X20, 10A
GFL-15	GLASS FUSE 5X20, 15A
GFL-20	GLASS FUSE 5X20, 20A





ELECTRONZ+

sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

POWER FACTOR CORRECTION

RGM-12S

Single Phase Reactive Power Control Relay, 12 Stage, LCD



POWER FACTOR CORRECTION



440V/480V Capacitor 3-PHASE

KVAR


5, 7.5, 10, 12.5, 25, 50



Compensation Contactor

KVAR

5, 7.5, 10, 12.5, 25, 30, 50



3-Phase Harmonic Reactor, 189Hz, 7%

KVAR

25, 30, 50, 100





ELECTRONZ+



sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

CHARGER, POWER SUPPLY & TRANSFORMERS

POWER SUPPLY

HDR-15-24	POWER SUPPLY INPUT RANGE 85- 264VAC; OUTPUT 24VDC AT 0.63A
EDR-75-24	AC-DC INDUSTRIAL DIN RAIL POWER SUPPLY 24V 3.2A
NDR-120-24	POWER SUPPLY 24VDC 5A
NDR-240-24	POWER SUPPLY 24VDC 10A
NDR-480-24	POWER SUPPLY 24VDC 20A
DRDN20-24	REDUNDANCY MODULE 0-20A
TPS-2403	POWER SUPPLY DIN TYPE 24V, 3A



BATTERY CHARGER

TBC-1205	BATTERY CHARGER 12V 5A 70W, DIN RAIL
TBC-1210	BATTERY CHARGER 12V 10A 140W, DIN RAIL
TBC-2405	BATTERY CHARGER 24V 5A 140W, DIN RAIL
TBC-2410	BATTERY CHARGER 24V 10A 275W, DIN RAIL
TBC-3002	BATTERY CHARGER 30V 2.2A 70W, DIN RAIL

- Maintenance Free Sealed Lead Acid 6V 4.5A
- Maintenance Free Sealed Lead Acid / VRLA Battery 12V 7AH
- Maintenance Free Sealed Lead Acid / VRLA Battery 12V 3AH
- Maintenance Free Sealed Lead Acid / VRLA Battery 12V 12AH



Star Trans

POWER SUPPLY

10VA-24024	10VA 240/24VAC
25VA-24024	25VA 240/24VAC
50VA-24024	50VA 240/24VAC
100VA-24024	100VA 240/24VAC
160VA-24024	160VA 240/24VAC
200VA-24024	200VA 240/24VAC
300VA-24024	300VA 240/24VAC
400VA-24024	400VA 240/24VAC
500VA-24024	500VA 240/24VAC
1000VA-24024	1000VA 240/24VAC
100VA-MULT	ELEVATOR TRANSFORMER 100VA, PRIMARY: 380-220V/ SECONDARY: 110-95-85-75-60-48-24-1612V

CAN BE PRODUCED WITH OTHER SPECIFICATIONS

THREE PHASE TRANSFORMER

0.1KVA TO 200KVA

POOL CONTROL TRANSFORMER

240/12V





ELECTRONZ+



sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

CURRENT TRANSFORMERS

CURRENT TRANSFORMER

ATM-30C	30/5A (circular hole dia 20)
ATM-40C	40/5A (circular hole dia 20)
ATM-50C	50/5A (circular hole dia 20)
ATM-60C	60/5A (circular hole dia 20)
ATM-40	40/5A, 30mm (circular hole dia 20)
ATM-60	60/5A, 30mm (circular hole dia 20)
AT-40	40/5A, 30mm
AT-50	50/5A, 30mm
AT-60	60/5A, 30mm
ATM-100	100/5A, 30mm
ATM-150	150/5A, 30mm
ATM-200	200/5A, 30mm
ATM-250	250/5A, 30mm
ATM-300	300/5A, 30mm
ATM-400	400/5A, 30mm
AT-400	400/5A, 40mm
AT-600	600/5A, 40mm
AT-630	630/5A, 40mm
AT-800	800/5A, 60mm
AT-1000	1000/5A, 60mm
AT-1200	1200/5A, 60mm
AT-1600	1600/5A, 100mm
AT-2000	2000/5A, 100mm
AT-2500	2500/5A, 100mm
AT-600V	2500/5A, 125mm, vertical
AT-1600V	1600/5A, 125mm, vertical
AT-2000V	2000/5A, 125mm, vertical
AT-2500V	2500/5A, 125mm, vertical
AT-3200	3200/5A, 120x70mm
AT-4000	4000/5A, 120x70mm
BK1C	Closed Type (Screw Terminal)



SPLIT CORE CURRENT TRANSFORMER

Code	HOLE DIMENSION (mm)	CT Ratio
MSK24	Ø24	100/5A to 300/5A
MSK36	Ø36	100/5A to 300/5A
MSK50	Ø50	100/5A to 600/5A
SK58	50x80	250/5A to 6300/5A
SK88	80x80	400/5A to 2000A/5A
SK812	80x120	400/5A to 3000A/5A
SK816	80x160	1000/5A to 5000A/5A
SK820	80x200	2000/5A to 6300A/5A



FLEXIBLE ROGOWSKI COIL

ROGOWSKI POWER METER

CONVERTER FOR METERS





ELECTRONZ+



sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞



KWH 3 PH



EM-06DIN



EM-06



TPM-01ES



EM-07



KWH 1PH



DA-DIN



DJ-A36



DJ-V725



DJ-A96T


PANEL METERS

1-PHASE	36x78	48X48	72X72	96X96	DIN RAIL
A	DJ-A36	DJ-A48	DJ-A72	DJ-A96	DA-DIN
V	DJ-V36	DJ-V48	DJ-V72	DJ-V96	DA-DIN
F	DJ-F36	DJ-F48	DJ-F72	DJ-F96	DA-DIN

DC	36x72	48X48	72X72
V	DJ-V36DC	DJ-V48DC	DJ-V72DC
A	DJ-A36DC	DJ-A48DC	DJ-A72DC

ANALOG METERS

- V72 OR V96 (0-500V) VOLTMETER 72X72 OR 96X96
- A72 OR A96-XXXX AMMETER 72X72 OR 96-XXXX/SA CT)
- MD172 OR MD196-XXXX AMMETER 72X72OR 96X96 MDI --(XXXXX / SA CT)
- F72 OR F96 FREQUENCY METER 72X72 OR 96X96
- V72 OR VD96 0-30V DC VOLTMETER 72X72 OR 96X96
- PF72 OR PF96 POWER FACTOR METER 72X72 OR 96X96



METER SELECTOR

- VS-07 VOLTMETER SELECTOR SWITCH 7POS
- AS-04 AMPERMETER SELECTOR SWITCH 4POS

HUMIDITY AND TEMPERATURE CONTROLLER



AD-95



DT-96



HT-310



DT-321



MAV-J/K

TEMPERATURE CONTROLLER	SIZE
HT-310	36x78
DT-36/48/72/96Y	36x78/48x48/72x72/96x96
DT-36/48/72/96EM	36x78/48x48/72x72/96x96
DT-312	36X78
DT-321	36X78
DT-322	36X78
AD-96	96X96
MAV-J/2-4M	
MAV-K/2-5M	



ELECTRONZ+



sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

CONTROL RELAYS

TIMERS



ERV-YU



MAV-AHC811



ERV-09



ERS-30Y

ERV-60	On Delay 0.1 sec - 60 sec 24VDC or 220VAC
ERV-08	On Delay 0.1 sec - 100 Hours 24VDC or 220VAC
ERX-10	Functional Timer, 10 Programmable
ERV-YU	Command Control Relay, Star-Delta Connection
ERV-09	Flasher Relay, Multifunction
ERS-07	Command Control Relay, Right-Left Output, Multifunctional
MAV-AHC811	16A LCD Digital WEEKLY Timer METER
DTR-10	Astronomical Relay 24hr 2C/O
ERS-30Y	Socket Type Time Relay, 0.1sec - 30sec
ERS-60Y	Socket Type Time Relay, 0.1sec - 60sec

PANEL TYPE TIMERS



ERD-72



DFR-72



ERD-72M

DFR-72	Analogue Adj. Digital Flasher Relay, Working-waiting time adj
ERD-72M	Digital Timer 8 Different Operating Modes, 24VDC Inputs
ERD-72	On delay or flasher digital timer

PROTECTION RELAY



GKT-03F



DGK-04



GKM-11



DGK-01



FKV-24F



FKV-14



FKT-06F



FKV-14P

VOLTAGE CONTROL RELAY		
SINGLE PHASE	Analogue	GKM-11
	Digital with Display	DGK-01
THREE PHASE	Analogue	GKT-03F
	Without neutral	GKT-02F
	With neutral	DGK-04
	Digital	
	Without neutral	

PHASE FAILURE RELAY		
Fixed Assymetry	without neutral	FKV-03N
	with neutral	FKV-14
Adjustable Assymetry	with PTC Relay Connection	FKV-14P
	4 functions (U/O Volt., Asym., Phase Absance, Phase sequece)	FKV-24F
	without neutral	FKT-06F
	with neutral	FKM-05F



ELECTRONZ+



sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

CONTROL RELAYS

24 HOURS DAILY TIMERS



MTR-2402



MTR-2404



MTR-2401



TTR-10

MTR-2401	24-HOUR MECHANICAL TIMER (16A)
MTR-2402	24-HOUR MECHANICAL TIMER (16A)
MTR-2403	24-Hour daily Analog Timer (20A)
MTR-2404	24-Hour daily Analog Timer (30A)
TTR-10	24-Hour daily Timer repay (NEW PRODUCT DIGITAL)

PANEL TYPE TIMERS



DHM-48



DS-72A



DHM-DIN



SF-48

DFR-48	Digital Hour Meter, Panel Type 48x48
DHM-DIN	Digital Hour Meter DIN Rail type
SF-48	ANALOG RUN HOUR METER (OUTER DIM: 72x72)
DS-72A	Digital Counter with 2x6 Digit LED Display - High features



TRM-XX



DAKR-01D


OVERLOAD RELAY				
Three Phase	Digital	Adjustable	3A-12A	TRM-12
			0,1A-25A	TRM-25
			15A-50A	TRM-50
			40A-100A	TRM-100
			90A-200A	TRM-200
			290A-400A	TRM-400

UNDERCURRENT			
Single Phase	Adjustable	Inrush Time	DAKR-01D
		Under Current Fault	
		Waiting Time	
		Under Current Set Value	

PHOTOCELL RELAY



FTV-04



FT=GR

FT-GR	Photocell Relay, Fixed Lux
FTV-04	PHOTOCELL RELAY 1 Lux - 10 Lux (Adjustable)

SURGE PROTECTIVE DEVICE



Code	Protection Class	In	IMAX
SPD-C-30-40	C	20kA	40kA
SPD-B-30-60	B	30kA	60kA



ELECTRONZ+



sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

PUMP & COMPRESSOR CONTROL

LIQUID & PUMP CONTROLLERS

HSR-03X	Hydrophore Sequencing Relay, 3 pcs
HSR-02X	Hydrophore Sequencing Relay, 2 pcs
VSR-05	Liquid Level Relay, Sensitivity Adjustment, DIN
SSE-10	Liquid Level Relay Electrode
FLT-X	X Meter Wired Floater
MDK-03	3-Phase, Submersible Pump Control Relay, DIN RAIL
MDK-02	1-Phase, Submersible Pump Control Relay
TDK-30	3-Phase Submersible Control Relay Three Phase, Digital Contactor (30A), DIN RAIL
TDK-02	3-Phase Panel Type Submersible Pump Control Relay



THREE PHASE PRESSURE SWITCH

Type	Setting Range (Bar)	Differential (Bar)		Bottom Connection
ELT-2	2-8	Without Unloader Valve	0,9 / 4,7	1/2" 1/4"
		With Unloader Valve	1,2 / 5,0	1/2"+1/8"
ELT-3	3-11	Without Unloader Valve	1,2 / 5,3	1/4"+1/8"
		With Unloader Valve	1,5 / 5,6	
ELT-4	4-16	Without Unloader Valve	1,8 / 7,5	1x1/2"+3x1/8"
		With Unloader Valve	2,1 / 7,8	1x1/4"+3x1/8"



SINGLE PHASE PRESSURE SWITCH

Type	Setting Range (Bar)	Differential (Bar)		Bottom Connection
ELT-5	1-6	Without Unloader Valve	0,9 / 2,5	1/2" 1/4"
		With Unloader Valve	1,2 / 2,8	1/2"+1/8"
				1/4"+1/8"
ELT-6	2-11	Without Unloader Valve	1,0 / 3,5	1x1/2"+3x1/8"
		With Unloader Valve	1,3 / 3,8	1x1/4"+3x1/8"





ELEMENT

Danfoss

sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

ELECTRONZ+

PUMP & COMPRESSOR CONTROL

PRESSURE SWITCHES

Type	Setting Range (Bar)	Max Pressure (Bar)	Electrical Connection Type	Bottom Connection
ELT-MPS-2	0,2-2,5	30	Normally Open (NO) Normally Close (NC)	S $\frac{1}{4}$ S $\frac{1}{8}$ ($\frac{1}{4}$ inch SAE) - ($\frac{1}{8}$ inch SAE) *Max 16 Bar
ELT-MPS-4	0,5-4	30		
ELT-MPS-6	0,5-6	30		
ELT-MPS-10	1-10	30		
ELT-MPS-16	1-16	30		
ELT-MPS-25	5-25	100		
ELT-MPS-40	5-40	100		
ELT-MPS-60	5-60	100		
ELT-MPS-100	10-100	300		
ELT-MPS-160	10-160	300		
ELT-MPS-200	10-200	600		
ELT-MPS-400	10-400	600		




FLOATER



WASTE WATER 90



WASTE WATER 40



SUBMERSED PUMP



CLEAN WATER



LIQUID LEVEL CONTROLLER ELECTROD

PRESSURESTAT PRESSURE SWITCH

Type	Setting Range (Bar)	Differential (Bar)	Max. Pressure (Bar)	Bottom Connection
ELT-35	0,8-8	0,6-3	13	G $\frac{1}{4}$ S $\frac{1}{4}$ S $\frac{7}{16}$ (S $\frac{1}{4}$ inch GAS) - ($\frac{1}{4}$ inch SAE) - ($\frac{7}{16}$ inch SAE)
ELT-36	5-16	1-3,5	21	
ELT-37	5-28	3-10	33	G $\frac{1}{4}$ S $\frac{1}{4}$ (S $\frac{1}{4}$ inch GAS) - ($\frac{1}{4}$ inch SAE)
ELT-38	5-50	3-15	55	



PRESSURE TRANSMITTERS



SILICONE OR CERAMIC SENSOR OPTIC



FLOW SWITCH



CURRENT SWITCH



ELECTRONZ+



sales@electronqatar.com ✉


www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

RELAYS & SOCKETS


5A RELAYS WITH LED & TEST MECHANISM

36.02.230.A	230VAC (8pins relay) 2 CONTACT
36.02.110.A	110VAC (8pins relay) 2 CONTACT
36.02.48.A	48VAC (8pins relay) 2 CONTACT
36.02.24.A	24VAC (8pins relay) 2 CONTACT
36.02.12.A	12VAC (8pins relay) 2 CONTACT
36.02.48.D	48VDC (8pins relay) 2 CONTACT
36.02.24.D	24VDC (8pins relay) 2 CONTACT
36.02.12.D	12VDC (8pins relay) 2 CONTACT
RT704-B	SOCKET (8PIN Black) 2 CONTACT
36.04.230.A	230VAC (14pins relay) 4 CONTACT
36.04.110.A	110VAC (14pins relay) 4 CONTACT
36.04.48.A	48VAC (14pins relay) 4 CONTACT
36.04.24.A	24VAC (14pins relay) 4 CONTACT
36.04.12.A	12VAC (14pins relay) 4 CONTACT
36.04.48.D	48VDC (14pins relay) 4 CONTACT
36.04.24.D	24VDC (14pins relay) 4 CONTACT
36.04.12.D	12VDC (14pins relay) 4 CONTACT
RT704-B	SOCKET (14PIN Black) 4 CONTACT



5A RELAYS WITH LED & TEST MECHANISM


90.2.230.A	230VAC (8pins relay) 2 CONTACT ROUND TYPE
90.2.110.A	110VAC (8pins relay) 2 CONTACT ROUND TYPE
90.2.48.A	48VAC (8pins relay) 2 CONTACT ROUND TYPE
90.02.24.A	24VAC (8pins relay) 2 CONTACT ROUND TYPE
90.02.12.A	12VAC (8pins relay) 2 CONTACT ROUND TYPE
90.02.48.D	48VDC (8pins relay) 2 CONTACT ROUND TYPE
90.02.24.D	24VDC (8pins relay) 2 CONTACT ROUND TYPE
90.02.12.D	12VDC (8pins relay) 2 CONTACT ROUND TYPE
AS760	SOCKET (ROUND TYPE) 8 PIN
90.3.230.A	230VAC (11pins relay) 2 CONTACT ROUND TYPE
90.3.110.A	110VAC (11pins relay) 2 CONTACT ROUND TYPE
90.3.48.A	48VAC (11pins relay) 2 CONTACT ROUND TYPE
90.03.24.A	24VAC (11pins relay) 2 CONTACT ROUND TYPE
90.03.12.A	12VAC (11pins relay) 2 CONTACT ROUND TYPE
90.03.48.D	48VDC (11pins relay) 2 CONTACT ROUND TYPE
90.03.24.D	24VDC (11pins relay) 2 CONTACT ROUND TYPE
90.03.12.D	12VDC (11pins relay) 2 CONTACT ROUND TYPE
AS770	SOCKET (ROUND TYPE) 11 PIN



Slim Type	
SRM-8-220-AC	220VAC 8 PIN SUM RELAY
SRM-8-024-AC	24VAC 8 PIN SLIM RELAY
SRM-8.024.DC	24VC 8 PIN SLIM RELAY
MAV-08-SOK	8 PIN SLIM SOCKET

PH2966171 Phoenix Relay Module PLC-RSC- 24DC/21

SSR-40AA Solid State Module SSR 40AC TO AC380





ELECTRONZ+



sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

BUTTON & SWITCHES

CONTROL ELEMENTS

INDICATION LED LAMP		
Code	Voltage	Color
AD22-22DS	230V/110V/48V/24V/12V (AC/DC)	Green
		Red
		Blue
		Yellow
		White
		Amber




AD22-22DS



WITH BUZZER


PLASTIC SERIES BUTTON

AD22-22DS	BUZZER WITH RED BACKLIGHT 230V AC
DB2-ES542	EMERGENCY PUSH BUTTON (NC)
DB2-ED21	SELECTOR SWITCH 2 POSITIONS (NO)
DB2-ED33	SELECTOR SWITCH 3 POSITIONS (NO+NO)
DB2-EA31	PUSH BUTTON (SPRING) GREEN NO
DB2-EA42	PUSH BUTTON (SPRING) RED NC
DB2-EA61	PUSH BUTTON (SPRING) BLUE NO
DB2-EA21	PUSH BUTTON (SPRING) BLACK NO
DB2-EA55	PUSH BUTTON (SPRING) YELLOW NO
(DB2)-EL825	PUSH BUTTON DOUBLE RED & GREEN



METAL SERIES BUTTON

DB2-BS542	EMERGENCY BUTTON-2 POSITION-1 NC
DB2-BD21	SELECTOR SWITCH-2 POSITION-1 NO
DB2-BD33	SELECTOR SWITCH-3 POSITION-1 NO+1 NO
DB2-BA31	GREEN PUSH BUTTON-1 NO
DB2-BA42	RED PUSH BUTTON-1 NC
DB2-BA61	BLUE PUSH BUTTON-1 NO
DB2-BA21	BLACK PUSH BUTTON-1 NO
DB2-BA51	YELLOW PUSH BUTTON-1 NO
DB2-BL8345	START-STOP DOUBLE



BE101	CONTACT NO
BE102	CONTACT NC

BUTTON BOXES

XAL-D01	EMPTY VUTTON BOX WITH HOLE
XAL-J188H29	EMERGENCY BUTTON WITH BOX, WITH KEY
XAL-J174H29	EMERGENCY BUTTON WITH BOX
XAL-B213	RED-GREEN PUSH BUTTON BOX
XAL-B112	RED PUSH BUTTON BOX
XAL-B101	GREEN PUSH BUTTON BOX
COB61C	2BUTTON+EMERGENCY
COB62C	4BUTTON+EMERGENCY
COB63C	6BUTTON+EMERGENCY
COB64C	8BUTTON+EMERGENCY

PPA-101		PPA-103	
PPA-101-5		PPA-104	
PPA-102		MA-22-1	





ELECTRONZ+

sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

Cam Switches	POLE	STEP
On/Off Cam Switches	1 to 6	
Change Over Switches	1 to 4	
Multi Steps Cam Switches	1	2
		3
		4
		5
		7
Star-Delta Control Switch	3	4
	4	

CAM SWITCHES



ON-OFF CAM SWITCHES



CHANGE OVER CAM SWITCHES



STAR DELTA CAM SWITCHES



MULTI STEPS CAM SWITCHES



SPRING
RETURN
COVER
SAFETY CAM
SWITCH

LOCKABLE
HANDLE

MOUNTING &
KEY LOCK



ELECTRONZ+

Onka®


sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞


TERMINAL BLOCKS SCREWTYPE

BLACK	RED	BLUE	GREY	UL
1004	1007	1005	1002	1.5mm ²
904	907	905	902	2.5mm ²
914	917	915	912	4mm ²
1034	1037	1035	1032	6mm ²
1044	1047	1045	1042	10mm ²
1054	1057	1055	1052	16mm ²
1064	1067	1065	1062	35mm ²
1074	1077	1075	1072	50mm ²
1084	1087	1085	1082	70mm ²
1094	1097	1095	1092	95mm ²
1104	1107	1105	1102	120mm ²



TERMINAL BLOCKS PUSH IN TYPE

BLACK	RED	BLUE	GREY	UL
1504	1507	1505	1502	2.5mm ²
1514	1517	1515	1512	4mm ²
1524	1527	1525	1522	6mm ²
1534	1537	1535	1532	10mm ²
1544	1547	1545	1542	16mm ²
1054	1557	1555	1552	35mm ²



TERMINAL BLOCK


- 1612 **SCREW TYPE 2,5mm² DOUBLED RAIL TERMINAL GREY**
- 1010425 **MRK 2,5mm² TRIPLE LEVEL SCREW CONNECTION RAIL TERMINAL BLOCK**
- 1010412 **MRK 2,5mm² SCREW CONNECTION MOTOR TERMINAL BLOCK**
- 1652 **SCREW TYPE MRK 4mm² DOUBLED RAIL TERMINAL GREY**
- 1322 **MRK-S 6mm² SCREWED FUSE RAIL TERMINAL BLOCKS EMPTY GREY**
- 1352 **MRK-S 6mm² FUSED TERMINAL BLOCK(24V AC/DC LED)**

- 1291 **MRK TEST - 6mm Terminal Block (W/O) prob (CT TEST TERMINAL)**
- 1322 **6mm² SCREWED TESTING RAIL TERMINAL BLOCKS Double Expulsive GREY, knife type**

- 1291 **MTK 2,5mm² SCREWED EARTH RAIL TERMINAL BLOCKS**
- 1010425 **MTK 4mm² SCREWED EARTH RAIL TERMINAL BLOCKS**
- 1010412 **MTK 6-10mm² SCREWED EARTH RAIL TERMINAL BLOCKS**
- 1652 **MTK 16mm² SCREWED EARTH RAIL TERMINAL BLOCKS**
- 1322 **MTK 35mm² SCREWED EARTH RAIL TERMINAL BLOCKS**

- 1202 **SCREWLESS END BRACKET FOR MPK OPK TERMINAL BLOCK GREY**
- UK-E **MINI END BRACKET FOR MRK OPK TERMINAL BLOCKS GREY**
- 1232 **END BRACKET WITH LABEL FOR MRK AND OPK TERMINAL BLOCKS**
- MRK-G **GREY**
- 582 **GROUP MARKER**
- MRK SERIES SEPARATION PLATE**

1.5/2.5/4/6/10/16/35MM SHORTLINK CROSS CONNECTION (2/4/10POLES)





ELECTRONZ+

sales@electronqatar.com ✉


www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

TERMINALS



STUD TERMINALS WITH COVER

2302	MRK 26mm ²
2322	MRK 35mm ²
2342	MRK 50mm ²
2362	MRK 70mm ²
2382	MRK 95mm ²
2402	MRK 120mm ²
2422	MRK 150mm ²
2442	MRK 185mm ²
2462	MRK 240mm ²




EARTH AND NEUTRAL BARS

Rated Current	Cross Section	Poles	Holes
80A	6.5 x 9mm	1	7
160A	6.5 x 12mm	2	10
250A	10 x 15mm	3	12
		4	15
			22




DISTRIBUTION UNITS

UKK-80	DISTRIBUTION UNIT 80A, IN: 1x6-16, OUT: 4X2,5-6 & 2x2,5-16
UKK-125	DISTRIBUTION UNIT 125A, IN: 1x10-35, OUT: 6X2,5-16 & 1x6-16
UKK-160	DISTRIBUTION UNIT 160A, IN: 1x10-70, OUT: 6X2,5-16 & 1x6-16
UKK-250	DISTRIBUTION UNIT 250A, IN: 1x35-120, OUT: 4X2,5-10 & 5x2,5-16 & 2x6-35mm
UKK-400	DISTRIBUTION UNIT 400A, IN: 1x95-180, OUT: 4X2,5-10 & 5x2,5-16 & 2x6-35mm



STUD TERMINALS WITH COVER

2140	SK16 F5 CONNECTION TERMINAL for CU-BUSBARS 1,5-16mm ²
2141	SK16 F10 CONNECTION TERMINAL for CU-BUSBARS 1,5-16mm ²
2142	SK35 F5 CONNECTION TERMINAL for CU-BUSBARS 1,5-35mm ²
2143	SK35 F10 CONNECTION TERMINAL for CU-BUSBARS 1,5-35mm ²
2144	SK70 F5 CONNECTION TERMINAL for CU-BUSBARS 16-70mm ²
2145	SK70 F10 CONNECTION TERMINAL for CU-BUSBARS 16-70mm ²
2146	SK120 F5 CONNECTION TERMINAL for CU-BAR 16-70mm ²
2147	SK120 10 CONNECTION TERMINAL for CU-BAR 16-70mm ²





ELECTRONZ+

DURMAZ


sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

DERANGE AND VENTILATION PARTS

9511	PANEL AIRFLOW BLIND STOP M25X15
9501	PANEL AIRFLOW EQUIPMENT
9521	DRENAGE EQUIPMENT M16




PANEL THERMOSTAT

DPT-B	THERMOSTAT (NO) BLUE-COLD
DPT-R	THERMOSTAT (NC) RED-HOT
DPH-01	HYGROSTAT (NO)



HEATERS

MPH-30	PANEL HEATER 25-30W
MPH-50	PANEL HEATER 50W
MPH-75	PANEL HEATER 75W-HIGH QUALITY
MPH-100	PANEL HEATER 100W-HIGH QUALITY
MPH-150	PANEL HEATER 150W-HIGH QUALITY



HEATERS

DF100	LOUVER (FILTER) 100x100
DF150	LOUVER (FILTER) 150x150
DF250	LOUVER (FILTER) 250x250
DF300	LOUVER (FILTER) 325x325
DFF1001	FAN-FILTER 110x110mm 40/50 m3/h
DFF1501	FAN-FILTER 160x160mm 100/140 m3/h
DFF2502	FAN-FILTER 250x250mm 240/270 m3/h
DFF2503	FAN-FILTER 250x250mm 650/900 m3/h
DFF3001	FAN-FILTER 325x325mm 650/900 m3/h
ATY4000	ROOF FAN AXIAL 172X163X51 25/32W, 400m3/h
ATY5600	ROOF FAN RADIAL 190X68X58 75W, 560m3/h
ATY9700	ROOF FAN RADIAL 220X71X85 90W, 970m3/h



FAN & HEATERS



ELECTRONZ+ PANEL LOCKS

PANEL LOCKS & HINGES



MS813



MS705-1



MS705-3B



MS705-3S



MS811-1



LG006



MS403-20



MS705-4



MS705-28



Rack Cabinet Lock



MS702



MS705



MS408-1



MS714-2



K7030

K7040

K7010



MS240-2

MS240-1



212.R

PANEL HINGES



CL224-3A



CL125



CL211



CL225-1A



CL202-2



CL218-40B



CL206-1



CL204-7



CL138-1



CL214-1



ELECTRONZ+

sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

PANEL ACCESSORIES


PANEL ACCESSORIES

CODE	METRIC	SIZE
M6-12	M6	12
M6-16		16
M6-20		20
M8-30	M8	30
M8-35		35
M8-50		50

IRPCP-504 **A5 project plastic pocket with adhesive**
 IRPCP-404 **A4 project plastic pocket with adhesive**

717-V1 **METER GLASS PLASTIC COVER, SCREW TYPE**
 717-V2 **METER GLASS PLASTIC COVER, CLIPS TYPE**

DRS-01 **DIN RAIL SOCKET BS STANDARD**




CABLE MANAGEMENT

IRPKT-1040 **66 Plastic Cable Holder**
 IRPKT-1050 **BELLOW/18x64 Siemens**



PANEL LIGHT



LIMIT SWITCH



PANEL LED SW METAL ON/OFF BUTTON



LED ON/OFF SWITCH





ELECTRONZ+

sales@electronqatar.com ✉


www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

INSULATORS / TRUNKING / RAILS / GLANDS


HEX INSULATORS

HEX-SM20-M4	SM 20-M4 qualityA
HEX-SM25-M8	SM 25-M8 qualityA
HEX-SM35-M8	SM 35-M8 qualityA
HEX-SM40-M8	SM 40-M8 qualityA
HEX-SM51-M8	SM 51-M8 qualityA
HEX-SM51-M10	SM 51-M10 qualityA
HEX-SM60-M10	SM 60-M10 qualityA
HEX-SM76-M10	SM 76-M10 qualityA




BUSBAR SUPPORTER

EL-130	11mm Slots 1 Poles 4 Runs
EL-270	11mm Slots 3 Poles 2 Runs
EL-295	11mm Slots 4 Poles 1 Runs
EL-409	11mm Slots 4 Poles 2 Runs
EL-500	11mm Slots 4 Poles 3 Runs
EL-500-V2	11mm Slots 3 Poles 3 Runs+1 Pole 2 Runs



DIN RAIL

4172	MOUNTING DIN RAIL SUPPORT Cr+3 Plated
4222	35x7,5mm ² PERFORATED SHEET W AUTOMATE ASSEMBLY DIN RAIL 1mt GALVANIZED
4223	35x7,5mm ² PERFORATED SHEET W AUTOMATE ASSEMBLY DIN RAIL 2mt GALVANIZED



CABLE GLAND (IP68 POLIAMIDE)

9101	PG 7
9111	PG 9
9121	PG 11
9131	PG 13.5
9141	PG 16
9151	PG 21
9161	PG 25
9171	PG 36
9181	PG 42
9191	PG 48




BLINE STOP (IP68 POLIAMIDE)

9301	PG 7
9311	PG 9
9321	PG 11
9331	PG 13.5
9341	PG 16
9351	PG 21
9361	PG 29
9371	PG 36

CABLE TRUNKING

25X30	40X40	60x40
25X40	40X60	60x60
25X60	40X80	60x80
25X80	40X100	60x100
80X60	100X60	
80X80	100X100	
80X100		





CABLE ENDS & LUGS

CORD END TERMINAL

ONKA-8007	0.5mm ² (BIG BOX 1000PCS)
ONKA-8010	0.75mm ² (BIG BOX 1000PCS)
ONKA-8014	1.0mm ² (BIG BOX 1000PCS)
ONKA-8017	1.5mm ² (BIG BOX 1000PCS)
ONKA-8021	2.5mm ² (BIG BOX 500PCS)
ONKA-8025	4mm ² (BIG BOX 500PCS)
ONKA-8028	6mm ² (BIG BOX 250PCS)
ONKA-8030	10mm ² (BIG BOX 100PCS)
ONKA-8032	16mm ² (BIG BOX 100PCS)
ONKA-8034	25mm ² (BIG BOX 50PCS)
ONKA-8036	35mm ² (BIG BOX 50PCS)
ONKA-8039	50mm ² (BIG BOX 25PCS)
ONKA-8041	70mm ² (BIG BOX 25PCS)



TWIN CORD END TERMINAL

ONKA-8161	2x 0,50mm ² (BIG BOX 1000PCS)
ONKA-8162	2x 0,75mm ² (BIG BOX 500PCS)
ONKA-8164	2x 1,0mm ² (BIG BOX 500PCS)
ONKA-8166	2x 1,5mm ² (BIG BOX 500PCS)
ONKA-8168	2x 2,5mm ² (BIG BOX 250PCS)
ONKA-8170	2x 4,0mm ² (BIG BOX 200PCS)
ONKA-8171	2x 6,0mm ² (BIG BOX 100PCS)
ONKA-8172	2x 10,0mm ² (BIG BOX 50PCS)
ONKA-8173	2x 16,0mm ² (BIG BOX 50PCS)

RING TYPE TERMINAL

ONKA-8045	0,5-1,5 mm ² M3
ONKA-8049	0,5-1,5 mm ² M4
ONKA-8051	0,5-1,5 mm ² M5
ONKA-8052	0,5-1,5 mm ² M6
ONKA-8053	0,5-1,5 mm ² M8
ONKA-8056	0,5-2,5 mm ² M3
ONKA-8060	0,5-2,5 mm ² M4
ONKA-8087	0,5-2,5 mm ² M5
ONKA-8089	0,5-2,5 mm ² M6
ONKA-8090	0,5-2,5 mm ² M8
ONKA-8091	0,5-2,5 mm ² M10
ONKA-8093	0,5-2,5 mm ² M12
ONKA-8095	4,0-6,0 mm ² M4
ONKA-8096	4,0-6,0 mm ² M5
ONKA-8097	4,0-6,0 mm ² M6
ONKA-8098	4,0-6,0 mm ² M8
ONKA-8099	4,0-6,0 mm ² M10



CABLE LUG

6mm ² M5
10mm ² M5, M6, M8
16mm ² M5, M6, M8,M10
25mm ² M6, M8,M10,M12
35mm ² M6, M8,M10,M12
50mm ² M6, M8,M10,M12
70mm ² M8,M10,M12,M14,M16
95mm ² M12
120mm ² M12
150mm ² M14
185mm ² M16
240mm ² M16




TWIN CORD END TERMINAL

8186-PT1-10V	0,5-1,5 mm ² W:1,9 mm
8188-PT2-12V	1,5-2,5 mm ² W:1,9 mm
8190-PT5-13V	4,0-6,0 mm ² W:2,8 mm



CORD END TERMINAL


ONKA-8061	0,5-1,5 mm ² M3
ONKA-8064	0,5-1,5 mm ² M4
ONKA-8066	0,5-1,5 mm ² M5
ONKA-8068	0,5-1,5 mm ² M6
ONKA-8070	1,5-2,5 mm ² M3
ONKA-8072	1,5-2,5 mm ² M4
ONKA-8074	1,5-2,5 mm ² M5
ONKA-8075	1,5-2,5 mm ² M6
ONKA-8077	4,0-6,0 mm ² M4
ONKA-8079	4,0-6,0 mm ² M5
ONKA-8080	4,0-6,0 mm ² M6
ONKA-8082	4,0-6,0 mm ² M8



LUGS



TRAFFOLYTE ENGRAVING SHEETS



Traffolyte engraving sheets


EN.SH.12.6.15.BK	BLACK FACE WHITE LETTER (120*60cm, 1.5mm)
EN.SH.12.6.15.W	WHITE FACE BLACK LETTER (120*60cm, 1.5mm)
EN.SH.12.6.15.WL	LASER TYPE WHITE FACE BLACK LETTER (120*60cm, 1.5mm)



Cable Ties

2.5x80mm	3.6x150mm	4.8x200mm	7.6x400mm	8.8x400mm	12.4x230mm
2.5x100mm	3.6x200mm	4.8x250mm	7.6x450mm	8.8x450mm	12.4x290mm
2.5x120mm	3.6x250mm	4.8x360mm	7.6x500mm	8.8x500mm	12.4x380mm
2.5x130mm	3.6x300mm	4.8x400mm	7.6x550mm	8.8x550mm	12.4x480mm
2.5x150mm	3.6x370mm	4.8x450mm	7.6x610mm	8.8x710mm	12.4x530mm
2.5x200mm		4.8x500mm	7.6x750mm	8.8x750mm	12.4x580mm
2.5x260mm		4.8x550mm		8.8x760mm	12.4x650mm
2.5x380mm		4.8x610mm		8.8x780mm	12.4x730mm
		4.8x920mm		8.8x810mm	12.4x880mm
				8.8x920mm	12.4x1000mm
				8.8x1020mm	
				8.8x1168mm	
				8.8x1220mm	
				8.8x1530mm	

HS-101	CABLE TIE MOUNT 21X21
HS-102	CABLE TIE MOUNT 28X28



Spiral

SPR-06-W	SPIRAL 6MM WHITE 10M
SPR-08-W	SPIRAL 8MM WHITE 10M
SPR-10-W	SPIRAL 10MM WHITE 10M
SPR-12-W	SPIRAL 12MM WHITE 10M
SPR-20-W	SPIRAL 20MM WHITE 10M



Spiral

IT-R	0.13mm*18mm*10y pvc tape red
IT-Y	0.13mm*18mm*10y pvc tape yellow
IT-B	0.13mm*18mm*10y pvc tape blue
IT-BK	0.13mm*18mm*10y pvc tape black
IT-G/Y	0.13mm*18mm*10y pvc tape green/yellow



Cable Marker

EC-0.10-X	EC-0 1mm ² (From 0.75mm ² to 3mm ²)
EC-0.15-X	EC-0 1.5mm ² (From 1.5mm ² to 3mm ²)
EC-1.25-X	EC-1 2.5mm ² (From 2.5mm ² to 4.2mm ²)
EC-3.06-X	EC-3 6mm ² (From 5mm ² to 10mm ²)





ELECTRONZ+

sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

TERMINAL BLOCK MARKING

8912-AX	ARGOX CP2140 Thermal Printer
8944-55	55 mm X 300 mt Black Ribbon
9944-110	110 mm x 300 mt Black Ribbon
9943-S11	11 mm X 2 X 20 mt Double Roll Label (White)
9943-S11S	11 mm X 2 X 20 mt Double Roll Label (Yellow)
8843-S4.9	4,9 mm X 5 X 20 mt Roll Label



OD10-CUS CUSTOMIZED LABEL

9541-01-10	OD5B NUMBERING Printed 1~10
9541-11-20	OD5B NUMBERING Printed 11~20
9541-21-30	OD5B NUMBERING Printed 21~30
9541-31-40	OD5B NUMBERING Printed 31~40
9541-41-50	OD5B NUMBERING Printed 41~50
9541-51-60	OD5B NUMBERING Printed 51~60
9541-61-70	OD5B NUMBERING Printed 61~70
9541-71-80	OD5B NUMBERING Printed 71~80
9541-81-90	OD5B NUMBERING Printed 81~90
9541-91-100	OD5B NUMBERING Printed 91~100



TOOLS


PANEL METERS BUTTONS & INDICATORS HOLES PUNCHING MACHINE



SHEET ENGRAVING MACHINE




BUSBAR STATION



TRUNKING CUTTER

RCC-01	RAIL CUTTER 15X35 & 7.5X35
RCC-02	RAIL CUTTER FOR 7.5X35 BLUE COLOR
TCC-01	OD5B NUMBERING Printed 21~30





ELECTRONZ+


GMTCNT

sales@electronqatar.com

www.electronqatar.com

Whatsapp Hotline: 3994-2201

TECHNICAL SUPPORT IS AVAILABLE FOR ALL GMT PRODUCTS



PLC Modules



HMI Products
Operator Panels

4.3" to 15" Screen Size



VFD Speed Controller - AC Drive - Inverter
0.4kW - 630kW



SD7 Servo Systems

AUTOMATION



Ethernet Switch



Isolated Repeater



USB to RS232 Converter



USB to RS485 Converter



Step Motors and Drives



Robots



Wireless Lora
Dialer



Mini PLC With Display



Mini USB Upload
Flash Disk Installation

PLC PRODUCTS



PLC CPU Module



Mini PLC With Display



Ethernet Modules



VFD Speed Controller



Operator Panels



Servo Motor Drive



Step Motor Drive



Encoder

AUTOMATION

PLC SENSORS



Photoelectric Sensor



Inductive Proximity Sensor



Array Sensor



Color Sensor



Fiber-Optic Sensor



Fork Sensor



Glare Sensor




Linear Measurement Sensor



Luminescence Sensor



Cylinder Sensor



Magnetic Sensor



ELECTRONZ+

sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

FLOW & COOLING & HEATING

TRANSMITTERS



Humidity and Temperature Controller



Air Quality Transmitters



Temperature Transmitter



Industrial Heater



CO2 Transmitter



Temperature Transmitter



Freeze Thermostat



Differential Pressure Transmitter



Hydrostatic Level Transmitter

CONTROLLERS



HVAC Controller



PID Temperature Controller


SWITCHES



Pressure Switch



Differential Pressure Switch



PID Temperature Controller


ACTUATORS



Pneumatic Actuators



Damper Actuators



Solenoid Valve



Fan Coil Multiplexing Board



(FCU) Fan Speed Relay Box



ELECTRONZ+

sales@electronqatar.com ✉

www.electronqatar.com 🌐


Whatsapp Hotline: 3994-2201 📞

SPLICING CONNECTOR (WAGO TYPE)

CODE	INPUT	VOLT	CURRENT	PCS/BOX
SCT-212	2	450V	32A	100
SCT-213	3			100
SCT-214	4			50
SCT-215	5			50



CODE	INPUT	VOLT	CURRENT	PCS/BOX
SCT-411	2	450V	32A	50
SCT-2-2	2			
SCT-3-3	3			
SCT-4-4	4			
SCT-5-5	5			



IP68 Waterproof Cable Connector-Type T



2 Pin Connector Waterproof Connector




Male and Female Way

TERMINALS

STRIPS CONNECTOR

5001	NR.1 2,5-4mm ² PP POLYPROPYLEN TERMINAL STRIPS 12 POLES
5002	NR.2 4-6mm ² PP POLYPROPYLEN TERMINAL STRIPS 12 POLES
5003	NR.3 6-10mm ² PP POLYPROPYLEN TERMINAL STRIPS 10 POLES
5004	NR.4 10-16mm ² PP POLYPROPYLEN TERMINAL STRIPS 6 POLES
5005	NR.5 16-25mm ² PP POLYPROPYLEN TERMINAL STRIPS 6 POLES
5011	NR.1 2,5-4mm ² PA POLYAMIDE (V2) TERMINAL STRIPS 12 POLES
5012	NR.2 4-6mm ² PA POLYAMIDE (V2) TERMINAL STRIPS 12 POLES
5013	NR.3 6-10mm ² PA POLYAMIDE (V2) TERMINAL STRIPS 10 POLES
5014	NR.4 10-16mm ² PA POLYAMIDE (V2) TERMINAL STRIPS 6 POLES
5015	NR.5 16-25mm ² PA POLYAMIDE (V2) TERMINAL STRIPS 6 POLES



STRIPS CONNECTOR

CODE	POLE	CABLE SECTION
1070001	2	0,75-1,50
1070002	2	2,50-4,00
1070003	3	2,50-4,00
1070004	2	4,00-6,00
1070005	3	4,00-6,00
1070006	2	6,00-10,00
1070007	3	6,00-10,00
1070008	1	0,75-1,50
1070009	1	2,50-4,00
1070010	1	4,00-6,00
1070011	1	6,00-10,00
1070013	3	16,00-25,00
1070014	2	16,00-25,00





ELECTRONZ+

sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

CONNECTORS AND SOCKETS

CODE INDUSTRIAL SOCKET, PANEL MOUNT, IP67

BC1-6505-7413	125A 5 PINS (3P+E+N) - 3 PHASE
BC1-4505-7413	63A 5 PINS (3P+E+N) - 3 PHASE
BC1-3505-7413	32A 5 PINS (3P+E+N) - 3 PHASE
BC1-1505-7413	16A 5 PINS (3P+E+N) - 3 PHASE
BC1-3403-7413	32A PINS (1P+N+E) - 1 PHASE
BC1-1403-7413	16A 3 PINS (1P+N+E) - 1 PHASE

OTHER ARRANGEMENTS ARE AVAILABLE, PLEASE CHECK CATALOG

CODE CONNECTOR SOCKET, IP67

BC1-6505-7312	125A 5 PINS (3P+E+N) - 3 PHASE
BC1-4505-7312	63A 5 PINS (3P+E+N) - 3 PHASE
BC1-3505-7312	32A 5 PINS (3P+E+N) - 3 PHASE
BC1-1505-7312	16A 5 PINS (3P+E+N) - 3 PHASE
BC1-3403-7312	32A PINS (1P+N+E) - 1 PHASE
BC1-1403-7312	16A 3 PINS (1P+N+E) - 1 PHASE

OTHER ARRANGEMENTS ARE AVAILABLE, PLEASE CHECK CATALOG

CODE CONNECTOR SOCKET, IP67

BC1-6505-7413	125A 5 PINS (3P+E+N) - 3 PHASE
BC1-4505-7413	63A 5 PINS (3P+E+N) - 3 PHASE
BC1-3505-7413	32A 5 PINS (3P+E+N) - 3 PHASE
BC1-1505-7413	16A 5 PINS (3P+E+N) - 3 PHASE
BC1-3403-7413	32A PINS (1P+N+E) - 1 PHASE
BC1-1403-7413	16A 3 PINS (1P+N+E) - 1 PHASE

OTHER ARRANGEMENTS ARE AVAILABLE, PLEASE CHECK CATALOG

CODE INDUSTRIAL PLUG, IP67

BC1-6505-7011	125A 5 PINS (3P+E+N) - 3 PHASE
BC1-4505-7011	63A 5 PINS (3P+E+N) - 3 PHASE
BC1-3505-7011	32A 5 PINS (3P+E+N) - 3 PHASE
BC1-1505-7011	16A 5 PINS (3P+E+N) - 3 PHASE
BC1-3403-7011	32A PINS (1P+N+E) - 1 PHASE
BC1-1403-7011	16A 3 PINS (1P+N+E) - 1 PHASE

OTHER ARRANGEMENTS ARE AVAILABLE, PLEASE CHECK CATALOG



MULTI-PIN MACHINE SOCKET

METAL 16PIN

403030



MULTI-PIN MACHINE SOCKET


METAL 16PIN

4030305



Multi Extension Plug 16PIN

INDUSTRIAL SOCKET PANELS



CABLE REELS





ELECTRONZ+

BEACONS, BUZZERS & OBSTRUCTION LIGHTS

BUZZER & LIGHT



MS 229

MS 357


MS 232

MS 5847

MS 350

MS 745

BUZZER / SIREN



MS 200

MS 690

TBN

MS 190

EXPROOF BEASON



TRAFFIC LIGHTS



FORKLIFT LIGHTS



OBSTRUCTION LIGHT



MS 743

MS 628

MS 1326

MS 1350

OBSTRUCTION LIGHT



AOL-6188

MS 627

MS 1292



- MS 6200 (BUZZER)
- MS 8200.1  Cap MS 19
- MS 8200.2  Tube Wall Mount MS 14
- MS 8200.3  Wall Mount MS 15
- MS 8200.5
- MS 8200.4
MS 9200.24VAC/DC (SUPPLY VOLTAGE)
MS 9200.230VAC
- MS 12



ELECTRONZ+

sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

PLASTIC BOXES



70 mm

90 mm

85x85x50

95x95x50

95x95x60

110x110x70



110x110x100


120x120x70

120x120x140

110x150x70

120x170x70

120x170x140



120x255x80

120x255x140

210x300x90

220x300x140

340x340x160

300x535x150

ENCLOSURES & BOXES

PLASTIC ENCLOSURES

- 200x300x130 mm
- 500x600x220 mm
- 250x350x150 mm
- 300x400x170 mm
- 300x400x220 mm
- 350x500x190 mm
- 400x500x180 mm
- 400x500x240 mm
- 400x600x200 mm
- 500x700x250 mm
- 600x800x260 mm



METAL ENCLOSURES

CODE	WIDTH	HEIGHT	DEPTH
EP-20-20-15	200	200	150
EP-40-30-20	400	300	200
EP-50-40-20	500	400	200
EP-60-40-20	600	400	200
EP-60-50-20	600	500	200
EP-70-50-20	700	500	200
EP-80-60-20	800	600	200
EP-100-60-30	1000	600	300
EP-100-80-30	1000	800	300



**PANEL BOARD THREE PHASE
FLUSH TYPE 125A**

WAYS	POLES	HEIGHT	WIDTH	DEPTH
4	12P	440	400	120
6	18P	545	400	120
8	24P	545	400	120
10	30P	660	400	120
12	36P	660	400	120
16	42P	710	400	120





References:



اللجنة العليا
للمشاريع والبرث
Supreme Committee
for Delivery & Legacy



INTERNATIONAL CIVIL AVIATION ORGANIZATION
A United Nations Specialized Agency



الهيئة العامة للطيران المدني
CIVIL AVIATION AUTHORITY
قطر QATAR



> 150 ft

1 1

OBSTAFASH DUAL COLOR



White at Day / Red at Night
Medium Intensity White & Red



2 2

ONLY AT NIGHT

Navilite-IR-FAA-120-240V
OBSTAFASH compact OFC





ELECTRONZ+

sales@electronqatar.com ✉

www.electronqatar.com 🌐


Whatsapp Hotline: 3994-2201 📞

INDOOR LIGHTING, OUTDOOR LIGHTING & POWER SUPPLY


INDOOR LIGHTING



Tri-proof LED light



LED Strip Light - Indoor Mood LV
5W/8W/14.5W



Regular LED Panel Light series
36W-60W



LED Strip Light - Outdoor Mood HV
6.5W/7W/11W



LED Downlight



LED Downlight
18W-80W



COB LED Strip - Linear Series
10W



Classic Low-Voltage LED Bulb Series
2W-18W



LED Spot Light - GU5.3
4W-8W



LED Filament Bulb ST64
4W-8W



LED Filament Bulb A60
4W-12W

CAPACITORS



OUTDOOR LIGHTING



LED Wall Light



LED Floor Light




LED Bollard Light




LED Flush



5 Degree LED Projector




LED Outdoor Linear Light



LED Street Light



Solar Flood



Park and Garden Luminares

POWER SUPPLY



Switch Power Supply Driver Adapter Led Strip



Waterproof Power Supply



Slim LED Trafo



LED Driver Power Supply



ELECTRONZ+



sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞


SMART HOME AUTOMATION



Curtain Touch Switch WIFI+BLE




Smart Switch



Normal Dimmer Touch Switch




Doorbell Touch Switch



Normal Curtain Touch Switch



Double Wi-Fi 13A British Socket




Double Wi-Fi 17A EU Socket



Wi-Fi 13A British Socket



Wi-Fi Smart Wall Light Switch



13A UK Socket+13A UK Socket+3 Gang+3.1A USB



2G Switch+3G Switch+British 16A



3 Gang / 1 Way / 2 Way



PIR Switch




20A/45A



Stereo+HDMI



Rotary Light Dimmer Fan Speed Dimmer



Motion Sensor



1280mA Power Supply




LK/S4.2 Line Coupler, MDRC



Power Supply, 320mA, MRDC



Blind Actuator REG-K/8x/10 with manual mode



KNX Terminal



Fold Switching Dimming Actuator



Fold Universal Actuator

HOME AUTOMATION



ELECTRONZ+

sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞



FIRE ALARM SYSTEMS



ELECTRONZ+

sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞



ATS Controller



Battery Charger



Automatic Voltage Regulator AVR



Oil Pressure Switches



Changeover Relay



Generator Controller

GENERATOR PARTS




ELECTRONZ+

sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞



Rectangular Duct
Type External Motorized
Radial Fans



Radial Roof Fan
Aspirator



Roof Fans



Simple Deluxe
Exhaust Fan




Mixed-flow Duct Fan



Industrial Single
Phase Fan



Industrial Axial Fan




Heat Recovery
Ventilation Device



Purification Box



Axial Exhaust Fan Plastic



Low Pressure Volute Aspirator Fans

FANS & VENTILATORS



ELECTRONZ+

sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞

UPS, REGULATORS & BATTERY CHARGER

VOLTAGE REGULATORS (VOLTAGE STABLIZERS)



Full Automatic Servo Voltage Stabilizers



Full Automatic Single Phase Servo Voltage Stabilizers



Static Voltage Stabilizers



Full Automatic Three Phase Servo Voltage Stabilizers



UPS



Battery Charger

20A to 100A

12VDC

24VDC

48VDC

110VDC

SOLAR PRODUCT



Solar on Grid Inverter



Solar Panel



Solar Of Grid PCU

DISTRIBUTION TRANSFORMERS



Solar Armature



Street Armature



ELECTRONZ+



sales@electronqatar.com ✉

www.electronqatar.com 🌐

Whatsapp Hotline: 3994-2201 📞



Ex- Rigid Conduit & Barrier Gland



EX Non-Armored Brass Cable Gland



Ex-Polyamid Cable Glands



Ex ATEX Explosion Proof (instalation switch)



Exproof Led String Zone 1 Luminaire



Exproof LED Projectors



Ex ATEX Explosion Proof (signal LED tower)



Ex ATEX Explosion Proof (Emergency light fitting)



Ex- Telephone and Speakers



Ex ATEX Explosion Proof (Bulkhead light fitting)



Ex ATEX Explosion Proof (Pendant light fitting)



Ex ATEX Explosion Proof (Linear LED light fitting)



Ex-Aluminum Casting products



Ex - Junction Boxes



Ex-Proof Control Units



Ex-Proof Switches

EXPLOSION-PROOF PRODUCTS



ELECTRONZ+
TRADING

OUR BRANDS

HIGH QUALITY AND BEST PRICES



Onka[®]



DEKO



Star Trans



DURMAZ

VTEKE[®]

GMTCNT

Etechin

obsta.

WE SUPPLY

SIEMENS

Danfoss

OMRON

ABB

SMC

SICK

C O N T A C T N O W

WhatsApp Hotline: +974 3994-2201 +974 4430 3857

sales@electronqatar.com www.electronqatar.com